ACOI
Powered by PaperCut
2014 Product Catalog

acdiAbout Us

ACDI is the PaperCut Resource Center for the Dealer Channel.

At ACDI, we have been serving our dealers since 1994. We are constantly focused on supplying our dealer partners with the industry leading print management software, PaperCut®. Add to that affordable and reliable hardware, outstanding professional support services and on-site training, and that is what makes ACDI the complete PaperCut® solutions provider to the dealer channel.

PaperCut MF™
AUTHORIZED
AUTHORIZED SOLUTION CENTER

acdiSoftware



varePaperCut

PaperCut is a software program that is installed on your client's servers at their location. There are two versions of PaperCut, NG and MF, both allow you to take control of your printing and copying costs while also reducing your environmental impact. Over 50,000 organizations world-wide utilize the power of PaperCut on a daily basis.

PaperCut NG | Tracks prints

PaperCut is the easy way to automatically monitor and manage printing in your organization, giving you control over your costs and environmental impact. PaperCut NG software intercepts print jobs on the print server and analyzes them, applying rules to enforce your print policies. PaperCut NG gives you full control over your fleet of printers.

PaperCut MF | Tracks prints, copies, scans and faxes

Today's multi-function devices (MFDs) and copiers are smarter. They have touch screens and the ability to run embedded software directly on the device itself. This technology has allowed PaperCut MF to track off-the-glass usage - copy, fax and scan. PaperCut MF is vendor agnostic, continuing to support all operating systems and as many MFP/copier vendors as possible.


PaperCut
User: admin
Help
Logout
Dashboard
Users
Groups
Accounts
Printers
Reports
Cards
Options
App. Log
About
Location › Dashboard › Dashboard
Dashboard
Notice
This is a demo system with demo data. This system is remotely hosted. The speed and experience will vary depending on load and internet connection speed. Your experience will be faster on a local install.
Remember to download and try the 40-day trial on your own network.
System Status
Pending refunds 2
System uptime 6h 50m
Users 1,726
Printers 167
Recent errors 0
Recent warnings 1
Total Pages 2,471,157
Pages today 0
Hold/release jobs 0
Active user clients 0
Pages Printed (per day, last 30 days)
Environmental Impact
30.46 trees
21,089.2 kg of CO_2
694,800.5 hours running a 60W bulb
Printer Status
server1\Archaeology Library 1 Low toner (0%)
server1\Archaeology Print Room 3 Low toner (18%)
server1\Architecture Lab 1 Low toner (0%)
server1\Architecture Lab 2 Low toner (24%)
server1\Architecture Office 1 Low toner (14%)
server1\Architecture Office 5 Low toner (0%)
server1\Architecture Staff Room 1 Low toner (27%)
server1\Chemistry Library 1 Low toner (24%)
News
PaperCut 13.5 Released
Using sysadmin skills for good
Making Technology Simple
Real-time Activity
8:52:58 PM User "admin" logged into the administration interface. (IP: 204.138.52.202)
8:51:08 PM User "admin" logged into the administration interface. (IP: 209.248.145.26)
8:48:45 PM User "admin" logged into the administration interface. (IP: 86.1.60.69)
8:36:19 PM User "admin" viewed the archived job "Intro to safe browsing" printed on Jan

Web-Based Dashboard

PAPERCUT MF FEATURES

Off-the-glass Job Tracking
Detailed Reporting
Web Based Administration
Powerful Job Scripting
Secure Print Release
Secure Device Access
Print Archiving
iPad and Mobile Printing
Driverless Web Printing
Google Cloud Print
Find Me Printing
Payment Gateways
User Web Interface
Central Reporting

PAPERCUT NG FEATURES

Print Tracking
Detailed Reporting
Web Based Administration
Powerful Job Scripting
Rules Based Printing
Central Reporting

vareSupport

At ACDI we offer many incredible products, but it's our Professional Services that make them all work.

PRO SERVICES

Once the installation and configuration is complete, ACDI assures their customers investment is up and running all day every day. To do this, we offer multiple support packages which includes product updates, configuration changes, and trouble shooting. All of this is offered via phone, email, chat room, or even remote assistance.

ON-SITE INSTALLATION

Everyone has different needs and no two situations are the same. When problems arise and remote assistance is not an option, our on-site support specialists can save you thousands of dollars. We travel to your location, listen to you, consult with your technicians, diagnose the issue and don't leave until you are up and running again. It's just another way we make it easy to work with us.

REMOTE INSTALLATION

Remote login is more of a hands-on approach. With remote login, a technician at ACDI logs in to your system from our remote location and can take control of your computer. This allows him to address the problem himself and is a much faster approach when time is of the essence.

INTEGRATION & CUSTOMIZATION

The products we offer at ACDI are complete, turnkey solutions however, we know there will be times when it is mission critical that an existing solution such as a third party billing software tie into our cost recovery products. Our integration and customization specialists will consult with our clients to assure accuracy and seamless integration.

acdiHardware

acdi CoinOps

EX2000 SERIES MULTI-VEND

The EX 2000 Series is the most reliable and aesthetically pleasing unit on the market today. With its unmatched functionality, it is the solution for all your print and copy needs. Printing reports has never been easier. You can output directly from the EX2000 to the MFP it's attached to, without the need for a separate printer. They are compatible with most copiers on the market today. Control your overhead by reducing your paper and equipment costs with the EX2000.

Convergent Solutions

EX2000 Series Multi-Vend

7000EFS: standard base

ACDL-114: paper drawer lock

Size and weight

- Height: 27.25"
- Width: 13"
- Depth: 5.5"
- Weight: 45-55 lbs

Display

- 2x16 backlit LCD
- Alphanumeric
- Editable text on screen

Processor

- EXTechnology control board
- Multiple prices: differentiates between b/w, color, and premium paper sizes (on most copier models)
- Field programmable (copier models selected via external keypad)

Internal Components

- Coinco 3-tube changer
- (Optional) Coinco 4 or 6-tube changer
- Coinco bill stacker: $1's, $5's, $10's & $20's
- Euro Coinco 3-tube changer and bill stacker

Capacities

- Nickels: 86, Dimes: 125, Quarters: 95
- Bills: 500
- Cashbox: approximately $500 in change
- 100 User codes

Power

- 24VAC

External buttons and controls

- 10 digit numeric keypad
- Forward, Backward, Enter, Eject
- Coin return
- 2-bypass keys

Sensors

- Use exact change (when coin-tubes are low
- Minimum copy vend (requires a "vended" copy before making change)
- Auto detect coin count

Copy system requirements

- Copier interface: H20-"Copier OEM"
- Smart interface required on select models

Print system requirements

- Pay-for-print software
- Annual License
- Release Station interface Software

Environments

- University Library
- Public Library
- Court House
- Grocery Store
- Convenience Store
- Copy Shop

Languages

- Supports English

In the Box

- EX2000 Series coin-op
- H20-Copier OEM (copy harness)
- Stand (optional)
- Power Supply
- 3 sets of keys (door, cashbox, bypass)
- Price decals & Owner's manual

Configuration Options

- EX2000: coins only
- EX2000B: coins & bills
- EX2000BC: coins, bills & stored-value cards
- EX2000CCB: coins, bills & credit cards (Visa, MC, AMEX, Disc)
- EX2000SW: coins & account cards
- EX2000SWB: coins, bills & account cards

Stands & Accessories

- 7000EFS: standard base
- 7000LEFS: standard base and coin-op security plate
- 7000LP: coin-op security plate (requires 7000EFS)
- 2015PD: pedestal style base
- ACDL-114: paper drawer lock
- Extractor Software: manage coin-op meters from central PC
- Phantom Print: print reports directly to MFP (requires Ethernet connection

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi CoinOps

EZVEND SERIES MULTI-VEND

We have extended the EX Technology into our line of EZVend series control solutions for greater performance and enhanced reporting at an affordable price. The EZVend is designed to accept coins and/or dollar bills. Users will take pleasure in the external service keys that provide a simple yet intuitive menu system for configuration and setup. Plus, they are compatible with most copiers on the market today.

Convergent Solutions

EZVend Series Multi-Vend

7000EFS: standard base

ACDL-114: paper drawer lock

Size and weight

- Height: 27.25”
- Width: 13”
- Depth: 5.5”
- Weight: 45lbs

Display

- 2x16 backlit LCD
- Alphanumeric
- EXTechnology control board (simplified)

Processor

- EXTechnology control board
- Single price only
- Field programmable (copier models selected via external keypad)

Internal Components

- Coinco 4-tube changer
- (Optional) Coinco 6-tube
- Coinco bill stacker: $1’s & $5’s
- Euro Coinco 3-tube changer and bill stacker

Capacities

- Nickels: 86
- Dime: 125
- Quarters: 95
- Bills: 500
- Cashbox: approximately $500 in change

Power

- 24VAC

External buttons and controls

- Forward, Backward, Up, Eject
- Coin return
- Bypass

Sensors

- Use exact change (when coin-tubes are low)
- Minimum copy vend (requires a “vended” copy before making change)

Copy system requirements

- Copier interface: H10-“Copier OEM”

Print system requirements

- Not available

Environments

- University Library
- Public Library
- Court House
- Grocery Store
- Convenience Store
- Copy Shop

Languages

- Supports English

In the Box

- EZVend Series coin-op
- H10-Copier OEM (copy harness)
- Stand (optional)
- Power Supply
- 3 sets of keys (door, cashbox, bypass)
- Price decals & Owner’s manual

Configuration Options

- EZVend100: Coins only
- EZVend200: Coins & $1’s - $5’s

Stands & Accessories

Wall mount or optional base

- 7000EFS: standard base
- 7000LEFS: standard base and coin-op security plate
- 7000LP: coin-op security plate (requires 7000EFS)
- 2015PD: pedestal style base
- ACDL-114: paper drawer lock
- Extractor Software: manage coin-op meters from central PC
- Phantom Print: print reports directly to MFP (requires Ethernet connection)

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Online Account

THE SWIPER

Invite The Swiper into your environment and you'll see a total transformation in the disposition of your customers. The Swiper provides a comfortable, easy to use method for paying for copies and prints. If coin and bill collection is a burden to you, implement The Swiper and its paperless solution to relieve the strain of manual cash collection and reconciliation. With the Swiper, all the transactions are captured wirelessly and visible online by registering your account.

Complete transparency and automated reporting is worth the investment alone, not to mention the convenience given to your customers. It accepts all the major credit cards: Visa, American Express, Discover, and MasterCard. In addition to being overly user friendly and easy to use, The Swiper is without moving parts, which means its reliability is unmatched in the industry today. Simply swipe your card and begin making copies; it's that easy!

Convergent Solutions

The Swiper

Sidekick-1000: stand

ACDL-114: paper drawer lock

Size and weight

- Height: 5”
- Width: 6”
- Depth: 7.5”
- Weight: 6 lbs

Display

- 2x16 backlit LCD
- Alphanumeric
- Optional register display

Processor

- EXTechnology control board
- Multiple prices: differentiates between b/w, color, and premium paper sizes (on most copier models)
- Field programmable (copier models selected via external keypad)
- Wireless “Cell Phone” processing: DOES NOT use Ethernet or phone line connection

Capacities

- Reads Visa, MC, Amex, AMEX
- ATM Cards
- Bank Debit Cards
- Gift Cards

Power

- 24VAC

External buttons and controls

- Credit card swipe
- Bypass

Copy system requirements

- Copier interface: H20-“Copier OEM”
- Smart interface required on select models

Print system requirements

- Pay-for-print software
- Release Station interface Software

Environments

- University Library
- Public Library
- Court House
- Grocery Store
- Convenience Store
- Copy Shop
- Hotel Business Center
- Real estate agency

Languages

- Supports English

In the Box

- SWIPER
- H20-Copier OEM (copy harness)
- Stand (optional)
- Power Supply
- 2 Bypass keys
- Owner’s manual

Configuration Options

- Swiper: accepts Visa, MC, AMEX, Disc

Stands & Accessories

- Sidekick-1000: stand
- ACDL-114: paper drawer lock
- SKT-40: Receipt printer

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Credit & Copy Card

ACD3000

Cost recovery is more critical today than ever before. One simple way to generate savings and a possible revenue stream is to implement a card system. The ACD3000 Series debit card reader utilizes ACDI's own EXTechnology to setup individual price lines for each controllable MFP function. Business centers, libraries and universities can combine the ACD3000 with print management software to have a complete self-contained, customized solution.

Convergent Solutions

ACD3000

Sidekick-1000: Stand

Extractor Software

Size and weight

- Height: 5”
- Width: 4.75”
- Depth: 7.25”
- Weight: 5lbs

Display

- 2x16 backlit LCD
- Alphanumeric
- Editable text on screen

Processor

- EXTechnology control board
- Multiple prices: differentiates between b/w, color, and premium paper sizes (on most copier models)
- Field programmable (copier models selected via external keypad)
- Editable text display

Internal Components

- Internal mag stripe reader

Capacities

- Reads CR80 cards, black core, mag stripe, tracks 2, 4, & 5.5 Left
- Reads CR50 cards, black core, mag stripe, center track
- 100 User codes

Power

- 16VAC

External buttons and controls

- 10 digit numeric keypad
- Forward, Backward, Enter, Eject

Copy system requirements

- Copier interface: H20-“Copier OEM”

Print system requirements

- Pay-for-print software
- Release Station interface software

Environments

- University Library
- Public Library
- UPS Store
- Copy Shop

Languages

- Supports English

In the Box

- ACD3000
- H20-Copier OEM (copy harness)
- Stand (optional)
- Power Supply
- 2 keys
- 1 cleaning card
- Documentation

Configuration Options

- ACD3000

Stands & Accessories

- Sidekick-1000: Stand
- ACDL-114: paper drawer lock
- Extractor Software: manage coin-op meters from central PC
- Phantom Print: print reports directly to MFP (requires Ethernet connection)

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Credit & Copy Card

ACD3180

The ACD3180 Card Dispenser/Encoder is a convenient way of purchasing new copy cards or recharging existing ones. By simply inserting cash or swiping a major credit card, you will be armed with a fully active copy card that can be used to pay for copies and prints. The ACD3180 leverages technology that virtually eliminates the need for staff intervention and increases productivity.

Convergent Solutions

ACD3180

KPE3000

CR80 Copy Card

3000PD Pedestal Stand

Size and weight

- Height: 20”
- Width: 17.75”
- Depth: 10.5”
- Weight: 70lbs

Display

- 2x16 backlit LCD
- Alphanumeric

Processor

- EXTechnology control board
- Field programmable
- Editable text display

Internal Components

- UCR1000 (card reader/encoder)
- Coinco bill stacker: $1’s, $5’s, $10’s & $20’s
- Credit Card reader (Optional)

Capacities

- Holds approximately 290 cards
- Bill stacker holds 500 bills
- Visa, MC, AMEX, Discover (Optional)

Power

- 24VAC

External buttons and controls

- High security lock
- Dispense button

Copy system requirements

- Does not Apply (only used for dispensing/programming cards)

Print system requirements

- Does not Apply (only used for dispensing/programming cards)

Environments

- University Library
- Public Library
- Court House
- Grocery Store
- Convenience Store
- Copy Shop

Languages

- Supports English

In the Box

- ACD3180
- Power Cord
- 1 Barrel Key
- Owner’s manual

Configuration Options

- 3180-B: bills only
- 3180-CCB: credit cards and bills

Stands & Accessories

- Wall mount
- 3000PD - Pedestal stand
- CR80 Copy Card
- CopyMate KPE
- SKT-40: Receipt printer

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Credit & Copy Card

KPE3000

The KPE3000 is part of our "stored-value" card system which provides control and convenience to administrators for encoding new cards and for adding or subtracting value from existing cards. Cards may also be encoded with Cash Value or Units. PIN access provides security, preventing unauthorized access. Each machine is equipped with a step-by-step procedural guide that is visible while entering transactions, enabling your staff to move through the service mode with ease.

Convergent Solutions

KPE3000

CR80 Copy Card

Size and weight

- Height: 5”
- Width: 4.75”
- Depth: 7.25”
- Weight: 5lbs

Display

- 1x16 backlit LCD
- Alphanumeric

Processor

- EXTechnology Control Board

Internal Components

- PCS3500

Capacities

- Encode in cash value
- Encode in units
- Three group codes

Power

- 24V External (US)

External buttons and controls

- Keypad differs

Copy system requirements

- Does not Apply (only used for programming cards)

Print system requirements

- Does not Apply (only used for programming cards)

Environments

- University Library
- Public Library
- UPS Store
- Copy Shop

Languages

- Supports English

In the Box

- KPE
- 2 Super Cards
- Power Supply
- Owner’s manual
- Keys for housing

Configuration Options

- KPE

Stands & Accessories

- CR80 Copy Cards

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Credit & Copy Card



CR80 COPY CARDS

CR80 Copy Cards are the cards used with our "stored-value" card system. They are mag stripe cards that have a value, allowing a patron to make copies and/or prints. The value is stored on the card, not within a database. Therefore, if the cards are lost or stolen, the value cannot be retrieved. Choose the ACDI brand, CopyMate (illustration shown), or design your own card; ACDI offers both!

Convergent Solutions

acdi Online Account

CPAD TERMINAL

CPad is a high resolution 7" touch screen that interfaces with your copier, and brings all of PaperCut's core functionality to almost any copier.

CPad works by locking the copier until the user has authenticated by one of the various configurable authentication methods. Users interact with the Cpad via a rich touch screen, offering an intuitive interface. Copying is tracked and reported to the PaperCut central server in real time.

For secure print release and PaperCut "find me" printing, users are presented with an on-screen list of print jobs and may release their jobs with one touch. CPad supports all advanced features such as card readers, self-association/ registration of cards and account selection via keyword/ID search. The CPad delivers a high level of functionality for any environment.

Convergent Solutions

CPad Terminal

At a glance

Now you can take control of copy costs and print management on almost any multi function device using the Cartadis CPad terminal with PaperCut MF. With CPad you can enforce copy & print quotas that encourage users to think before they print. The CPad can turn almost any device into a papercut machine while environmental impact reporting gives you facts on usage.

- MFP manufacturer independent
- Easily transferred between devices
- CPad has the core functionality of PaperCut
- Secure Print Release and PaperCuts "find me" printing
- Charging to shared accounts/departments management
- Supports multiple authentication methods
- Swipe Card Authentication
- Username/Password Combination
- ID Number / Code

Features & Specifications

- High resolution 7" color touch screen
- Real-time responsive touch interface
- Built-in dual port ethernet hub Ethernet 10/100 Base-T
- Dual USB ports for card readers and other supported hardware
- External power supply
- True 2.6 Linux operating system
- 128 MB Flash disk, 64 MB RAM
- Multiple USB card readers supported; HID, mifare and others.
- Cable locking cover reduces risk of disconnection.
- Dimensions: 188 x 127 x 37 mm
- User interface configurable to promote your organizations corporate brand

acdi Online Account

PROX SERIES

Prox Series card readers are designed for customers seeking to leverage their existing card system for applications beyond physical security. Engineered to work with nearly all proximity technologies, Prox Series readers provide error-free identification for over 300 million physical access proximity cards worldwide. Featuring plug-n-play functionality, no required software, and embedded configurable flash memory, the reader is ready to integrate with nearly all operating systems, applications, and embedded controllers.

The USB model emulates a keyboard and keystrokes the card's ID and/or site code to the cursor's location on the screen. The reader can be configured to add keystrokes before and after the card's data. The serial version, available in RS-232, Ethernet, or USB Virtual Com, delivers the card's data in ASCII.

Convergent Solutions

Prox Series

Prox Bracket Kit

ProxCard II HID 1326 Clamshell Card

Applications

- PC/LAN access control
- Application log-on
- Employee identification
- Time and attendance
- Form filler to existing software applications
- PLC and embedded controllers
- Hoteling, meeting attendance, visitor management
- Secure printing
- Point of sale

Easy Interface:

Since there is no software deployed, the plug-n-play reader designs are truly easy to integrate into your existing application. The USB models connect directly to USB ports and send data as keystrokes. The RS-232 model connects to a serial port and sends data as ASCII. The Ethernet model comes with free software to redirect the IP address to virtual COM port on Windows® PCs. The USB Virtual COM model emulates a virtual serial device.

Compatibility:

Compatible with Windows CE®, Windows 2000®, Windows XP®, Windows Vista®, Windows 7®, Macintosh®, the Solaris™ operating system, Sun Ray™ thin clients, and Linux. (Free configuration software requires Windows® operating system.)

Information and Productivity

Eliminates errors associated with individual identification.

Versatile Mounting Options

The standard housing can be placed anywhere on the desktop. Featuring an articulated cable, it can easily be mounted on kiosks, monitors, time clocks, and more. Optional base and mounting brackets expand placement options. Other form factors allow for easy, unobtrusive placement.

Ports/Styles

USB, USB Dongle Reader, RS-232, PCMCIA, Ethernet, Keyboard, OEM bare board

Desktop Unit Colors

- Black & Pearl

Supported Cards—Partial List

- HID
- Indala
- Kantech ioProx
- Cardax
- G-Prox II
- Honeywell / NexWatch
- EM / Rosslare
- HiTag
- Casi
- Pyramid
- AWID
- Deister
- Keri

Typical Maximum Read Range

1.0" – 3.0" (2.5 – 7.6cm) dependent upon proximity card type and environmental conditions

Desktop

Dimensions: 3 3/8" x 2" x 0.6" except for Indala, Pyramid

Desktop Weight 0.45 lbs (204g)

Power Supply and Interface

USB self-powered; RS-232 model: several power options exist

Indicators Tri-state LED, beeper

Transmit frequency 125 kHz

Operating Temperature Range

-22° to 150°F (-30° to 65°C)

Operating Humidity Range

5% to 95% relative humidity, non-condensing

Storage temperature range

-40° to 185°F (-40° to 85°C)

Interface RS-232 DB9, USB or Ethernet

Certifications

FCC, United States; CE Mark Europe, C-TICK, RoHS, Industry Canada

acdi Online Account

ID SERIES

The ID Series contact-less smart card readers eliminates the need for manual entry, providing error-free identification. ID Series is compatible with nearly all 13.56 MHz contact-less cards/tags/labels. This reader allows users to use their building access card or other 13.56 MHz tags for other forms of identification and security throughout the workplace. The plug-n-play reader comes with flash memory, allowing the user to quickly configure the output to meet the user's needs.

As a card enrollment or ID badge reader/tester, the USB model emulates a keyboard and will keystroke the card's data to the cursor's location on the screen. The reader can be configured to add keystrokes before or after the card's data. The serial version, available in RS-232, Ethernet, or USB Virtual COM, delivers the card's data in ASCII.

Convergent Solutions

Prox Bracket Kit

ProxCard II HID 1326 Clamshell Card

Applications

- PC/LAN access control
- Employee identification
- Time and attendance
- PLC and embedded controllers
- Hoteling, meeting attendance, visitor management
- Secure printing
- Point of sale

Easy Interface:

Since there is no software deployed, the plug-n-play reader designs are truly easy to integrate into your existing application. The USB models connect directly to USB ports and send data as keystrokes. The RS-232 model connects to a serial port and sends data as ASCII. The Ethernet model comes with free software to redirect the IP address to virtual COM port on Windows® PCs. The USB Virtual COM model emulates a virtual serial device.

Compatibility:

Compatible with Windows CE®, Windows 2000®, Windows XP®, Windows Vista®, Windows 7®, Macintosh®, the Solaris™ operating system, Sun Ray™ thin clients, and Linux. (Free configuration software requires Windows® operating system.)

Information and Productivity

Eliminates errors associated with individual identification.

Versatile Mounting Options

The standard housing can be placed anywhere on the desktop. Featuring an articulated cable, it can easily be mounted on kiosks, monitors, time clocks, and more. Optional base and mounting brackets expand placement options. Other form factors allow for easy, unobtrusive placement.

Ports/Styles

USB, USB Dongle Reader, RS-232, PCMCIA, Ethernet, Keyboard, OEM bare board

Desktop Unit Colors

- Black & Pearl

Supported Cards—Partial List

- HID iclass
- ISO14443A
- ISO15693
- Legic
- Sony FeliCa
- Xceed ID

Typical Maximum Read Range

- 2.0" – 4.0" (5.0 – 10.0 cm) with PVC ID cards
- 1.0" – 1.5" (2.5 – 3.8 cm) with labels or tags
- 1.0" – 2.0" (2.5 – 5.0 cm) with MIFARE card

Desktop

Dimensions: 3.4" x 2" x 0.6"

Desktop Weight 0.45 lbs (204g)

Power Supply and Interface

USB self-powered; RS-232 model; 5V supplied by PS2. Keyboard pass-thru connector

Indicators Tri-state LED, beeper

Transmit frequency 13.56 kHz

Operating Temperature Range

-22° to 150°F (-30° to 65°C)

Operating Humidity Range

5% to 95% relative humidity, non-condensing

Storage temperature range

-40° to 185°F (-40° to 85°C)

Interface RS-232 DB9, USB or Ethernet

Certifications

FCC, United States; CE Mark Europe, C-TICK, RoHS, Industry Canada

acdi Credit & Copy Card

RSX1000 ONLINE ACCOUNT REVALUE STATION

A feature-rich, online revalue station designed to streamline money management in an account-based environment. It's wide-ranging versatility allows users to add value to copy cards or online accounts, quickly and securely. The RSX1000 offers a gamut of cashless and currency options and eliminates staff intervention.

Convergent Solutions

RSX1000

Size and weight

- Height: 60”
- Width: 20”
- Depth: 23”
- Weight: 175 lbs

Display

- 21.5” Widescreen Optical TouchScreen monitor
- Full HD 1080p display (1920 x 1080p)

Computer

- Windows 7 Professional PC

Internal Components (optional)

- Credit Card ePort terminal
- Mag-stripe swipe reader
- Proximity Reader/Scanner
- Barcode Reader/Scanner
- Coinco bill stacker: $1’s, $5’s, $10’s & $20’s
- Custom vending microcontroller
- Internal stored value card reader
- Card Dispenser

Capacities

- 4GB2 Dual Channel DDR3 SDRAM at 1333MHz
- 320GB3 SATA hard drive (7200RPM)
- Bills: 500
- Cards: 290

Power

- 120VAC

External buttons and controls

- Intuitive 21.5” Widescreen Optical TouchScreen monitor

Sensors

- Auto detect card level
- $ Bill acceptor level

Print system requirements

- Compatible with multiple pay-for-print software solutions
- Print Release Station configuration

Environments

- University Library
- Public Library
- Court House
- Business Centers
- Corporate setting

Languages

- Supports English

In the Box

- RSX1000 Series Revalue Station
- Power Supply
- Keys
- Lockdown anchor kit
- Setup Instructions

Configuration Options

- RSX1000-SW: Revalues ABA Mag-stripe with $ bills
- RSX1000CC-SW: Revalues ABA Mag-stripe with $ bills and credit cards
- RSX1000-Prox: Revalues Proximity cards with $ bills
- RSX1000CC-Prox: Revalues Proximity cards with $ bills and credit cards
- RSX1000-Bar: Revalues Barcoded cards with $ bills
- RSX1000CC-Bar: Revalues Barcoded cards with $ bills and credit cards

Stands & Accessories

- Signage banner

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

acdi Online Account

COPYMATE CONTROLLER

The CopyMate series of controllers provide simple and cost effective control of copiers and stencil duplicators. Users simply enter an authorized code or account number and the CopyMate allows operation of the copier and records the total amount of copies made, saving the information for later retrieval.

Convergent Solutions

CopyMate Controller

Size and weight

- Height: 2.0”
- Width: 14.5”
- Depth: 6.5”
- Weight: 6lbs

Display

- 2x16 backlit LCD
- Alphanumeric

Processor

- CopyMate control board
- Single price: tracks b&w copies

Capacities

- Reads ABA Stripe cards, tack 1 & 2

Power

- 12VAC

External buttons and controls

- 16 digit numeric keypad
- Add, Enter, Clear, Delete

Copy system requirements

- Copier interface: H10-“Copier OEM”

Environments

- Law Firm
- K-12 Public School
- Architecture Firm

Languages

- Supports English

In the Box

- CopyMate Controller
- Power Supply
- Setup Instructions

Configuration Options

- CopyMate900: stores up to 900 account codes
- CopyMate2500: stores up to 2500 account codes
- CopyMate SW2500: accepts cards and account codes
- CopyMate SD: designed for stencil duplicators, stores 2000 accounts

Stands & Accessories

- CD Extractor Software
- MB2500 Bracket
- Transfer cable: copies data from one unit to another

Assembly & Warranty

- Made in USA
- Standard 2 Year Warranty
- Extended Warranty (optional)

REMOTE E-COUNTER

Looking to control copiers from the checkout counter or service desk? The Remote E-Counter is the most practical solution on the market! Enable the copier with the on/off toggle switch, and watch the counter as it increases with each copy. Upon checkout, simply push the reset button and you are ready for your next customer.

Dimensions

1.5″ x 3″ x 1.5″

Shipping Weight

2.5 lbs.

Power Requirements

5VAC or 25VAC

Convergent Solutions

acdiAccessories

SECURITY SOLUTIONS

7000-EFS

The 7000EFS is a secure base stand for various models of coin-ops. The hardened steel base elevates your coin-op to a user-friendly height. The 7000EFS also works in conjunction with the 7000LP, sliding up through the bottom of the locking plate; This tamper-proof solution makes it a pleasurable and secure experience for the end-user.

7000-LP

The 7000LP is a locking security plate made of hardened steel and designed to slip over the 7000-EFS secure base stand.

ACD-114

Paper tray lock fits almost all copiers and MFPs. Protect against unauthorized access to your paper stock with the Paper Drawer Tray Lock.

7000-LEFS

The 7000-LEFS is a low cost, easily installed coin-op security solution. It is designed for both left and right side mounts, ensuring compatibility with most copiers and includes the 7000-EFS and 7000-LP.

ProxBracket Kit

"L" shaped universal bracket to attach a Prox reader to a copier. The kit comes with mounting screws, adhesive and a cord management system.

ACDL114 PAPER DRAWER LOCK



The ACDL-114 Paper tray lock fits most all copiers and MFPs and protects against unauthorized access to your paper stock. The Paper Drawer Lock is a convenient and low cost solution to paper tray security. Do you manage paper stock for multiple copiers? Multiple paper tray locks can be keyed alike – one key for all your paper security needs.

Dimensions | 6″ x 6″

Shipping Weight | 3lbs.

No tools are required for installation

Convergent Solutions

acdi Accessories

7000 EFS for EX2000 Series

For EZVend and EX2000
Height: 9″
Weight: 14lbs

2015 PD Pedestal for 1500 & 2000

For EZVend and EX2000
Height: 12″
Weight: 17lbs

3000 PD Pedestal for 3180 & 3080

Height: 28″
Weight: 24lbs

Convergent Solutions

SIDEKICK PEDESTAL

The CopyMate® Sidekick provides a sleek and secure mount for your ACDI device. If you're concerned about compatibility, don't be; this stand is compatible with all ACDI Readers and Account Management devices.

These mounts are engineered in compliance with the American Disabilities Act and are capable of being wall-mounted. Cables are completely hidden from view for a clean trouble-free look.

RSX1000

The TSPC-1105 and RSXStand provide a sleek and secure mount for your RSX1000 devices.

These mounts are engineered in compliance with the American Disabilities Act and are capable of being wall-mounted. Cables are completely hidden from view for a clean trouble-free look.

TSPC-1105

- Preloaded Touch Screen PC, Pay and Release Station

RSXStand

- Stand for Touch Screen PC; TSPC-1105

acdi Warranty

TERMS

Net 30: In order to receive Net 30 terms a credit application must be filled out. A late fee of 1.5% will be applied monthly if payment has not been received within the time frame of this term.

Cash On Delivery (C.O.D.): Total cost paid upon delivery of order. Ask for C.O.D. total. New customers will be asked to pay C.O.D. or with a credit card on their first purchase order.

Installation Material: Each unit includes a service manual and installation instructions. This material will normally answer any questions concerning the operation of the unit. If the service technician needs help, it is only a phone call away.

3% CWO on Web.

TOLL-FREE SUPPORT

ACDI was founded on the belief that we must be responsive and efficient in order to be competitive. We know that your business cannot be competitive if your products have excessive downtime. We provide a toll-free technical support line in order to help make your installations simple and cost effective. ACDI technicians will help with all phases from pre-installation advice to converting our equipment to an upgraded copier.

WARRANTY AND ALTERATION/ATTACHMENT DISCLAIMER

All products manufactured by Access Control Devices, Inc. (ACDI) carry a full two-year warranty. If our equipment fails during the two-year warranty due to defects in material or workmanship, ACDI will repair or replace the defective part. ACDI provides a toll-free support line for your convenience. Technicians may call this number for support regardless of your warranty status. ACDI technicians will provide troubleshooting guidelines over the phone and arrange for replacement parts if necessary. Replacement parts will be considered sales if the defective parts are not returned within 30 days.

acdi Warranty

An alteration is defined as any change to a copier, computer, laser printer, reader-printer or other device that deviates from the original physical, mechanical, electrical or electronic interconnection of a machine of ACDI's manufacturer to any other device that is sold, serviced, supplied or installed by the original equipment manufacturer ("OEM") of the machine.

An alteration to a machine may be made by a purchaser or lessee of ACDI's products with prior written notice by the customer to the OEM's supplier and service organization. This should be done to ensure that continued service support will be provided if an alteration is made to the machine. An attachment can be made to virtually any machine via an OEM approved attachment means. The correct attachment means should be confirmed in writing with the OEM machine supplier.

The customer is responsible for making any such alteration or attachment using an ACDI product or device, for its use and the results obtained and to pay all charges related to the alteration or attachment that would affect "Maintenance Service" by the OEM supplier and service organization. The customer is responsible for removal of any alteration or attachment and to restore a rented or leased machine to its normal, unaltered condition prior to its return to the rental or lease supplier, or upon notice from the OEM supplier and service organization that the alteration or attachment creates a safety hazard or renders maintenance of the machine impractical. See alteration attachment disclaimer for additional terms and conditions. ****Extended warranty available upon request.

NOTE

- Within 30 days of purchase, any repaired unit/part will be shipped overnight at ACDI's expense.
- Items 31-90 days from date of purchase - any repaired unit/part will be shipped ground track at ACDI's expense.
- Items 91 days or more from date of purchase - any repaired unit/part will be shipped ground track at customer's expense.

The customer assumes responsibility to the OEM supplier and service organization for all charges for maintenance and other service activities, or for loss of or damage to a machine, caused by: 1) use of ACDI attachments, 2) alterations as defined above.

It is understood that ACDI shall not be liable for any incidental or consequential damages. ACDI's liability and the customer's exclusive remedy for any cause of action arising from the use of ACDI of the purchase price for the goods, with respect to which damages are claimed. All claims of whatever nature shall be deemed waived unless made in writing within (30) days of the customer's receipt of the goods.



Powered by PaperCut

7428 Lindsey Road
Little Rock AR 72206
Phone: 800.990.2234
Fax: 501.664.8085

acd-inc.com